

# Material Safety Data Sheet



Completed 03-02-2026  
Revision: (date) -  
SDS version 1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product Identifier

Trade Name: ANSI / ASHRAE Standard 52.2  
Product- no.: -  
UFI: XQGA-4VTP-C20X-AC5N

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Recommended uses:

Test dust.

#### Uses advised against:

This product must not be used for purposes other than those recommended without first seeking the advice of the supplier.

### 1.3. Details of the supplier of the safety data sheet

#### Company and address:

Fiatec GmbH  
Burgkunstadter Str. 3, Mainleus  
DE-95336  
Germany  
+49 9229 9939-0  
www.fiatec.dk

#### Manufacturer:

Powder Technology Inc.  
1300 Grey Fox Road  
USA-55112 Arden Hills, MN  
+1 952 894 -8737  
www.powdertechinc.com

#### Contact person and E-mail:

mattias.eber@fiatec.com

#### The Safety data sheet is completed and validated by:

Mediator ApS, Centervej 2, DK-6000 Kolding. Consultant: FJ

### 1.4. Emergency telephone number

Healthcare Professionals: +353 01 809 2566 (27/7)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

CLP (1272/2008):  
STOT RE 1;H372

### 2.2. Label elements



#### Signal word:

Danger

Causes damage to organs through prolonged or repeated exposure. (H372)

Do not breathe dust. (P260)

Wash hands thoroughly after handling. (P264)

Wear protective gloves/eyeprotection. (P280)

IF exposed or concerned: Get medical advice/attention. (P308 + P313)

Dispose of contents/container in accordance with local regulation. (P501)

### 2.3. Other hazards

#### Additional labelling:

-

#### Additional warnings

The product does not meet the criteria for PBT or vPvB.

# Material Safety Data Sheet



## SECTION 3: Composition/information on ingredients

### 3.1./3.2. Substances/Mixtures

| Substance | EU-Index no. /<br>REACH-Reg. no. | CAS-no.    | EINECS-no. | CLP-classification | Wt/Wt % | Note |
|-----------|----------------------------------|------------|------------|--------------------|---------|------|
| Quartz    | - / 01-2120770509-<br>45-XXXX    | 14808-60-7 | 238-878-4  | STOT RE 1;H372     | 90 - 95 | -    |

See full text of H-phrases in section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### **Inhalation:**

In case of discomfort: Seek fresh air.  
Seek medical advice in case of breathing difficulties.

#### **Ingestion:**

Wash out mouth thoroughly and drink 1-2 glasses of water in small sips.  
Seek medical advice in case of discomfort.

#### **Skin contact:**

Remove contaminated clothing.  
Wash skin with soap and water.  
Seek medical advice in case of discomfort.

#### **Eye contact:**

Open eye wide, remove any contact lenses and flush immediately with water (preferably using eye wash equipment). Seek medical advice

#### **Additional information:**

When obtaining medical advice, show the safety data sheet or label.

### 4.2. Most important symptoms and effects, both acute and delayed

Causes serious eye damage.  
Causes damage to organs through prolonged or repeated exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Surrounding fire:  
Extinguish with powder, foam, carbon dioxide or water mist.  
Do not use water stream, as it may spread the fire.

### 5.2. Special hazards arising from the substance or mixture

The product is not directly flammable. Avoid inhalation of vapour and fumes – seek fresh air.  
Exposure to decomposition products may cause a health hazard.

### 5.3. Advice for firefighters

Fire fighters should wear appropriate protective equipment.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

See section 8 for type of protective equipment.  
Avoid breathing and contact with skin and eyes.

### 6.2. Environmental precautions

Avoid unnecessary release to the environment.

# Material Safety Data Sheet



### 6.3. Methods and material for containment and cleaning up

Use water mist to bind dust.  
Do not sweep – use vacuum cleaner to collect spillage.  
Pick up mechanically.

### 6.4. Reference to other sections

See section 8 for type of protective equipment.  
See section 13 for instructions on disposal.

---

## SECTION 7: Handling and storage

---

### 7.1. Precautions for safe handling

See section 8 for information about precautions for use and personal protective equipment.  
Use the product under well-ventilated conditions.  
Smoking, eating and drinking in the work room is not permitted nor is storage of tobacco, food and drinks permitted. Personal protective equipment must not be worn during meal breaks. Running water and eye wash facilities must be easily accessible. Wash hands before breaks, after visits to the toilet and at the end of work.

### 7.2. Conditions for safe storage, including any incompatibilities

The product must be stored safely and away from food, animal feeding stuffs, medicines, etc.  
Keep in tightly closed original packaging.

### 7.3. Specific end use(s)

See application section 1.

---

## SECTION 8: Exposure controls/personal protection

---

### 8.1. Control parameters

The Health and Safety Authority, 2021 Code of Practice.

| Substance          | Long-term exposure limit<br>ppm / mg/m <sup>3</sup> | Short-term exposure limit<br>ppm / mg/m <sup>3</sup> | Note |
|--------------------|-----------------------------------------------------|------------------------------------------------------|------|
| Quarz, crystalline | - / 0,1                                             | - / -                                                | Carc |

Carc = Capable of causing cancer and/or heritable genetic damage.

### DNEL/PNEC-values:

No data.

### 8.2. Exposure controls

There are no exposure scenarios for this product.

#### **Appropriate engineering controls:**

Wear the personal protective equipment specified below.  
Wash hands before breaks, before using restroom facilities, and at the end of work.  
Do not eat, drink or smoke when using this product.

#### **Personal protective equipment:**



#### **Respiratory protection:**

In case of insufficient ventilation, wear respiratory protective equipment with P2 filter.  
Respiratory protective equipment shall comply with one of the following standards: EN 136/140/145.

#### **Hand protection:**

Wear protective gloves made of nitrile rubber (> 0.11 mm). Protective gloves conforming to EN 374.

# Material Safety Data Sheet



Penetration time: 480 min

## **Eye/face protection:**

Wear safety goggles if there is a risk of dust contact with eyes.  
Eye protection conforming to EN 166.

## **Skin protection:**

Wear suitable protective clothing.

## **Environmental exposure controls:**

Ensure compliance with local regulations for emissions.

---

## **SECTION 9: Physical and chemical properties**

---

### **9.1. Information on basic physical and chemical properties**

|                                                                |                       |
|----------------------------------------------------------------|-----------------------|
| Physical state:                                                | Solid substance       |
| Colour:                                                        | Grey                  |
| Odour:                                                         | Odourless             |
| Melting point/ Freezing Point (°C):                            | -                     |
| Boiling point or initial boiling point and boiling range (°C): | 2980                  |
| Flammability:                                                  | -                     |
| Lower and upper explosion limit (vol-%):                       | -                     |
| Flash point (°C):                                              | 210                   |
| Auto-ignition temperature (°C):                                | 407                   |
| Decomposition temperature (°C):                                | -                     |
| pH:                                                            | -                     |
| Kinematic viscosity (mm <sup>2</sup> /s):                      | -                     |
| Solubility:                                                    | Immiscible with water |
| Partition coefficient n-octanol/water (log value)              | -                     |
| Vapour pressure:                                               | -                     |
| Density and/or relative density:                               | ~ 2 g/cm <sup>3</sup> |
| Relative vapour density:                                       | -                     |
| Particle characteristics:                                      | -                     |

### **9.2. Other information**

None.

---

## **SECTION 10: Stability and reactivity**

---

### **10.1. Reactivity**

No data.

### **10.2. Chemical stability**

The product is stable when used in accordance with the supplier's directions.

### **10.3. Possibility of hazardous reactions**

None known.

### **10.4. Conditions to avoid**

Avoid heating and contact with ignition sources.

### **10.5. Incompatible materials**

Avoid contact with strong oxidising agents.  
Avoid contact with strong acids.

### **10.6. Hazardous decomposition products**

No special precautions regarding contact with other materials at the recommended storage conditions.

# Material Safety Data Sheet



## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity:**

Based on the existing data, the classification is not met.

| Substance | exposure   | Species | Test          | Result |
|-----------|------------|---------|---------------|--------|
| Cellulose | Oral       | Rat     | LD50          | -      |
| Cellulose | Inhalation | Rat     | LC50/ 4 Hours | -      |
| Cellulose | Dermal     | Rabbit  | LD50          | -      |

#### **Skin corrosion/irritation:**

May cause slight irritation.

#### **Serious eye damage/irritation:**

Causes serious eye damage.

#### **Respiratory or skin sensitisation:**

Based on the existing data, the classification is not met.

#### **Germ cell mutagenicity:**

Based on the existing data, the classification is not met.

#### **Carcinogenicity:**

Based on the existing data, the classification is not met.

#### **Reproductive toxicity:**

Based on the existing data, the classification is not met.

#### **STOT-single exposure:**

Based on the existing data, the classification is not met.

#### **STOT-repeated exposure:**

Causes damage to organs through prolonged or repeated exposure.

#### **Aspiration hazard:**

Based on the existing data, the classification is not met.

### 11.2. Information on other hazards

Test data are not available.

## SECTION 12: Ecological information

### 12.1. Toxicity

| Substance | Test duration | Species | Test | Result |
|-----------|---------------|---------|------|--------|
| Cellulose | 96 Hours      | Fish    | LC50 | -      |
| Cellulose | 48 Hours      | Daphnia | EC50 | -      |
| Cellulose | 72 Hours      | Algae   | EC50 | -      |

### 12.2. Persistence and degradability

| Substance | Biodegradability | Test | Result |
|-----------|------------------|------|--------|
| No data.  | -                | -    | -      |

### 12.3. Bioaccumulative potential

| Substance | Potential bioaccumulation | LogPow |
|-----------|---------------------------|--------|
| No data.  | -                         | -      |

### 12.4. Mobility in soil

Test data are not available.

### 12.5. Results of PBT and vPvB assessment

The product does not meet the criteria for PBT or vPvB.

### 12.6. Endocrine disrupting properties

Test data are not available.

### 12.7. Other adverse effects

None.

# Material Safety Data Sheet



---

## SECTION 13: Disposal considerations

---

### 13.1. Waste treatment methods

The product is covered by the regulations on dangerous waste.

Collect spills and waste in closed, leak-proof containers for disposal at the local hazardous waste site.

| EWC-Code | Description                                    |
|----------|------------------------------------------------|
| 01 03 05 | Other tailings containing hazardous substances |

#### *Specific labelling:*

#### *Contaminated packaging:*

Empty packaging and residues must be disposed of through the municipal waste collection service for hazardous waste.

---

## SECTION 14: Transport information

---

The product is not covered by the rules for transport of dangerous goods by road and sea according to ADR, IMDG and IATA.

### 14.1 -14.4.

#### ADR

-

#### IMDG/IATA

-

### 14.5. Environmental hazards

-

### 14.6. Special precautions for user

-

### 14.7. Maritime transport in bulk according to IMO instruments

Not relevant.

---

## SECTION 15: Regulatory information

---

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### *Sources:*

The Health and Safety Authority, 2021 Code of Practice.

#### *Additional labelling:*

-

#### *Restrictions for application:*

-

#### *Demands for specific education:*

-

### 15.2. Chemical safety assessment

None.

# Material Safety Data Sheet



---

## SECTION 16: Other information

---

According to EU regulation 1907/2006 (REACH)

### Other information:

#### Sources:

EC regulation 1907/2006 (REACH), with amendments.

EC Regulation 1272/2008 (CLP), with amendments.

Directive 2008/98/EC

ECHA - The European Chemicals Agency

#### Full text of H-phrases as mentioned in section 2+3:

H372 Causes damage to organs through prolonged or repeated exposure.

#### Classification according to Regulation (EC) Nr. 1272/2008:

STOT RE 1;H372 Calculation method

#### Abbreviations and acronyms used in the safety data sheet:

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals. Regulation (EC) No 1907/2006.

CLP: Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008.

CAS-Number.: Chemical Abstracts Service number.

EC-Number.: EINECS and ELINCS Number (see also EINECS and ELINCS).

DNEL: Derived No Effect Level.

PNEC(s): Predicted No Effect Concentration(s).

STOT: Specific Target Organ Toxicity.

LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).

LC50: Lethal Concentration to 50 % of a test population.

EC50: The effective concentration of substance that causes 50% of the maximum response.

PBT: Persistent, Bioaccumulative and Toxic.

vPvB: Very Persistent and Very Bioaccumulative.

NOEC: The highest tested concentration at which, in a study, no statistically significant effect is observed in the exposed population compared with an appropriate control group.

NOAEL: The highest tested dose or exposure level at which there are no statistically significant increases in the frequency or severity of adverse effects between the exposed population and an appropriate control group; some effects may be produced at this level, but they are not considered adverse or precursors of adverse effects.

#### Other:

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

#### Minor changes have been made in following sections:

-

#### This material safety data sheet replaces version:

-