

# Material Safety Data Sheet



Completed 05-02-2026  
Revision: (date) -  
SDS version 1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product Identifier

Trade Name: Flyash, JIS Z8901 Class 5  
Product- no.: -

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Recommended uses:

Test dust.

#### Uses advised against:

This product must not be used for purposes other than those recommended without first seeking the advice of the supplier.

### 1.3. Details of the supplier of the safety data sheet

#### Company and address:

Fiatec GmbH  
Burgkünstadter Str. 3, Mainleus  
DE-95336  
Germany  
+49 9229 9939-0  
www.fiatec.com

#### Manufacturer:

Powder Technology Inc.  
1300 Grey Fox Road  
USA-55112 Arden Hills, MN  
+1 952 894 -8737  
www.powdertechinc.com

#### Contact person and E-mail:

mattias.eber@fiatec.com

#### The Safety data sheet is completed and validated by:

Mediator ApS, Centervej 2, DK-6000 Kolding. Consultant: FJ

### 1.4. Emergency telephone number

Healthcare Professionals: +353 01 809 2566 (27/7)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

CLP (1272/2008):  
Skin Irrit. 2;H315  
Eye Dam. 1;H318

The product is not subject to labelling under CLP Regulation No. 1272/2008.  
See full text of H-phrases in section 16.

### 2.2. Label elements



#### Signal word:

Danger

Causes skin irritation. (H315)  
Causes serious eye damage. (H318)

Wash hands thoroughly after handling. (P264)

Wear protective gloves/eyeprotection. (P280)

IF ON SKIN: Wash with plenty of water/... (P302 + P352)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305 + P351 + P338)

Dispose of contents/container in accordance with local regulation. (P501)

### 2.3. Other hazards

-

#### Additional labelling:

-

# Material Safety Data Sheet



## Additional warnings

The product does not meet the criteria for PBT or vPvB.

## SECTION 3: Composition/information on ingredients

### 3.1./3.2. Substances/Mixtures

Substance	EU-Index no. / REACH-Reg. no.	CAS-no.	EINECS-no.	CLP-classification	Wt/Wt %	Note
Silica, fused	- / -	60676-86-0	262-373-8	-	40 - 60	1
Iron oxide	- / -	1309-37-1	215-168-2	-	5 - 35	1
Aluminium oxides	- / 01-2119529248-35-xxxx	1344-28-1	215-691-6	-	15 - 30	1
Titanium oxide	- / -	12137-20-1	235-236-5	-	1 - 3	-
Calcium oxide	- / -	1305-78-8	215-138-9	Skin Irrit. 2;H315, Eye Dam. 1;H318, STOT SE 3;H335	1 - 3	1
Potassium hydroxide	019-002-00-8 / 01-2119487136-33-xxxx	1310-58-3	215-181-3	Acute Tox. 4;H302, Skin Corr. 1A;H314	1 - 3	1
Sulphur trioxide	- / 01-2119458835-26-XXXX	7446-11-9	231-197-3	Skin Corr. 1A;H314, Eye Dam. 1;H318, STOT SE 3;H335, EUH014	0 > - 1	-

1) The substance has a national exposure limit.

See full text of H-phrases in section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Inhalation:

Seek fresh air.

Seek medical advice in case of breathing difficulties.

#### Ingestion:

Wash out mouth thoroughly and drink 1-2 glasses of water in small sips.

Seek medical advice immediately.

#### Skin contact:

Immediately remove contaminated clothing.

Wash skin with soap and water.

Seek medical advice in case of discomfort.

#### Eye contact:

Flush immediately with water (preferably using eye wash equipment) for at least 5 minutes. Open eye wide. Remove any contact lenses. Seek medical advice.

#### Additional information:

When obtaining medical advice, show the safety data sheet or label.

### 4.2. Most important symptoms and effects, both acute and delayed

Irritation effects: This product contains substances which cause irritation to skin and eyes, or when inhaled. Contact with locally irritative substances can cause the area of contact to be more prone to absorb damaging substances such as allergens.

Causes serious eye damage.

### 4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Surrounding fire:

Extinguish with powder, foam, carbon dioxide or water mist.

Do not use water stream, as it may spread the fire.

### 5.2. Special hazards arising from the substance or mixture

The product is not directly flammable. Avoid inhalation of vapour and fumes – seek fresh air.

Exposure to decomposition products may cause a health hazard.

### 5.3. Advice for firefighters

Fire fighters should wear appropriate protective equipment.

# Material Safety Data Sheet



## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

See section 8 for type of protective equipment.  
Avoid breathing and contact with skin and eyes.

### 6.2. Environmental precautions

Avoid unnecessary release to the environment.

### 6.3. Methods and material for containment and cleaning up

Sweep up/collect spills for possible reuse or transfer to suitable waste containers.  
Do not sweep – use vacuum cleaner to collect spillage.  
Pick up mechanically.

### 6.4. Reference to other sections

See section 8 for type of protective equipment.  
See section 13 for instructions on disposal.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

See section 8 for information about precautions for use and personal protective equipment.  
Use the product under well-ventilated conditions.  
Running water and eye wash equipment must be available.

### 7.2. Conditions for safe storage, including any incompatibilities

The product must be stored safely and away from food, animal feeding stuffs, medicines, etc.  
Keep in tightly closed original packaging.

### 7.3. Specific end use(s)

See application section 1.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

The Health and Safety Authority, 2021 Code of Practice.

Substance	Long-term exposure limit ppm / mg/m <sup>3</sup>	Short-term exposure limit ppm / mg/m <sup>3</sup>	Note
Silica, fused	- / 0,08	- / -	-
Iron oxide (Rouge)			
- total inhalable dust	- / 10	- / -	-
- respirable dust	- / 4	- / -	-
Aluminium oxide			
- total inhalable dust	- / 10	- / -	-
- respirable dust	- / 4	- / -	-
Calcium oxide	- / 1	- / 4	-
Potassium hydroxide	- / -	- / 2	-
<b>DNEL/PNEC-values:</b>			
<b>DNEL Aluminium oxides</b>			
	<b>Workers</b>		<b>Consumers</b>
Inhalation - Chronic Systemic	3 mg/m <sup>3</sup>		0,75 mg/m <sup>3</sup>
Inhalation - Chronic Local	3 mg/m <sup>3</sup>		0,75 mg/m <sup>3</sup>
Oral - Chronic Systemic	-		1,32 mg/kg bw/day
<b>DNEL Calcium oxide</b>			
	<b>Workers</b>		<b>Consumers</b>
Inhalation - Chronic Local	1 mg/m <sup>3</sup>		1 mg/m <sup>3</sup>
Inhalation - Acute Local	4 mg/m <sup>3</sup>		4 mg/m <sup>3</sup>
<b>DNEL Potassium hydroxide</b>			
	<b>Workers</b>		<b>Consumers</b>
Inhalation - Chronic Local	1 mg/m <sup>3</sup>		1 mg/m <sup>3</sup>
<b>DNEL Sulphur trioxide</b>			
	<b>Workers</b>		<b>Consumers</b>
Inhalation - Chronic Local	0,05 mg/m <sup>3</sup>		-
Inhalation - Acute Local	0,1 mg/m <sup>3</sup>		-

# Material Safety Data Sheet



## PNEC Calcium oxide

Fresh water	0,37 mg/L
Intermittent releases (Fresh water)	0,37 mg/L
Marine water	0,24 mg/L
Intermittent releases (Marine water)	0,24 mg/L
Soil	817,4 mg/kg soil dw

## 8.2. Exposure controls

There are no exposure scenarios for this product.

### Appropriate engineering controls:

Wear the personal protective equipment specified below.  
Wash hands before breaks, before using restroom facilities, and at the end of work.  
Do not eat, drink or smoke when using this product.  
Wash hands after use.

### Personal protective equipment:



### Respiratory protection:

In case of insufficient ventilation, wear respiratory protective equipment with P2 filter.  
Respiratory protective equipment shall comply with one of the following standards: EN 136/140/145.

### Hand protection:

Wear protective gloves made of nitrile rubber (> 0.11 mm). Protective gloves conforming to EN 374.  
Penetration time: 480 min

### Eye/face protection:

Wear safety goggles if there is a risk of dust contact with eyes.  
Eye protection conforming to EN 166.

### Skin protection:

Special work clothing should be used.

### Environmental exposure controls:

Ensure compliance with local regulations for emissions.

---

## SECTION 9: Physical and chemical properties

---

### 9.1. Information on basic physical and chemical properties

Physical state:	Powder
Colour:	Dark grey
Odour:	Odourless
Melting point/ Freezing Point (°C):	-
Boiling point or initial boiling point and boiling range (°C):	1000
Flammability:	-
Lower and upper explosion limit (vol-%):	-
Flash point (°C):	-
Auto-ignition temperature (°C):	-
Decomposition temperature (°C):	-
pH:	-
Kinematic viscosity (mm <sup>2</sup> /s):	-
Solubility:	Insoluble
Partition coefficient n-octanol/water (log value)	-
Vapour pressure:	-
Density and/or relative density:	2,9 g/cm <sup>3</sup>
Relative vapour density:	-
Particle characteristics:	-

### 9.2. Other information

None.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reacts with strong acids.  
Reacts with water.

### 10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

### 10.3. Possibility of hazardous reactions

None known.

### 10.4. Conditions to avoid

Avoid contact with moisture and water.

### 10.5. Incompatible materials

None known.

### 10.6. Hazardous decomposition products

No special precautions regarding contact with other materials at the recommended storage conditions.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity:**

Based on the existing data, the classification is not met.

Substance	exposure	Species	Test	Result
Iron oxide	Oral	Rat	LD50	> 5000 mg/kg bw
Iron oxide	Inhalation	Rat	LC50/ 4 Hours	5,05 mg/L air
Aluminium oxides	Oral	Rat	LD50	> 10000 mg/kg bw
Aluminium oxides	Inhalation	Rat	LC50/ 4 Hours	> 2,3 mg/L air
Calcium oxide	Oral	Rat	LD50	> 2000 mg/kg bw
Calcium oxide	Inhalation	Rat	LC50/ 4 Hours	> 6,04 mg/L air (nominal)
Calcium oxide	Dermal	Rat	LD50	> 2500 mg/kg bw
Potassium hydroxide	Oral	Rat	LD50	333 mg/kg bw

#### **Skin corrosion/irritation:**

Irritating to skin – may cause reddening.

#### **Serious eye damage/irritation:**

Causes serious eye damage.

#### **Respiratory or skin sensitisation:**

Based on the existing data, the classification is not met.

#### **Germ cell mutagenicity:**

Based on the existing data, the classification is not met.

#### **Carcinogenicity:**

Based on the existing data, the classification is not met.

#### **Reproductive toxicity:**

Based on the existing data, the classification is not met.

#### **STOT-single exposure:**

Based on the existing data, the classification is not met.

#### **STOT-repeated exposure:**

Based on the existing data, the classification is not met.

#### **Aspiration hazard:**

Based on the existing data, the classification is not met.

### 11.2. Information on other hazards

Test data are not available.

# Material Safety Data Sheet



## SECTION 12: Ecological information

### 12.1. Toxicity

Substance	Test duration	Species	Test	Result
Iron oxide	48 Hours	Daphnia	EC50	> 100 mg/L
Iron oxide	72 Hours	Algae	EC50	> 20 mg/L
Calcium oxide	96 Hours	Fish	LC50	50,6 mg/L
Calcium oxide	48 Hours	Daphnia	EC50	49,1 mg/L
Calcium oxide	72 Hours	Algae	EC50	184,57 mg/L

### 12.2. Persistence and degradability

Substance	Biodegradability	Test	Result
No data.	-	-	-

### 12.3. Bioaccumulative potential

Substance	Potential bioaccumulation	LogPow
No data.	-	-

### 12.4. Mobility in soil

Test data are not available.

### 12.5. Results of PBT and vPvB assessment

The product does not meet the criteria for PBT or vPvB.

### 12.6. Endocrine disrupting properties

Test data are not available.

### 12.7. Other adverse effects

None.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

The product is not classified as hazardous waste according to Waste Management. Disposal of spillage and waste via the municipal waste collection service with the specifications below is recommended.

EWC-Code	Description
06 13 99	Wastes not otherwise specified

#### Specific labelling:

-

#### Contaminated packaging:

## SECTION 14: Transport information

The product is not covered by the rules for transport of dangerous goods by road and sea according to ADR, IMDG and IATA.

### 14.1 -14.4.

#### ADR

-

#### IMDG/IATA

-

### 14.5. Environmental hazards

-

### 14.6. Special precautions for user

-

### 14.7. Maritime transport in bulk according to IMO instruments

Not relevant.

# Material Safety Data Sheet



---

## SECTION 15: Regulatory information

---

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Sources:**

The Health and Safety Authority, 2021 Code of Practice.

**Additional labelling:**

-

**Restrictions for application:**

-

**Demands for specific education:**

-

### 15.2. Chemical safety assessment

None.

---

## SECTION 16: Other information

---

According to EU regulation 1907/2006 (REACH)

**Other information:**

**Sources:**

EC regulation 1907/2006 (REACH), with amendments.

EC Regulation 1272/2008 (CLP), with amendments.

Directive 2008/98/EC

ECHA - The European Chemicals Agency

**Full text of H-phrases as mentioned in section 2+3:**

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
EUH 014	Reacts violently with water.

**Classification according to Regulation (EC) Nr. 1272/2008:**

Skin Irrit. 2;H315                      Calculation method

Eye Dam. 1;H318                      Calculation method

**Abbreviations and acronyms used in the safety data sheet:**

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals. Regulation (EC) No 1907/2006.

CLP: Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008.

CAS-Number.: Chemical Abstracts Service number.

EC-Number.: EINECS and ELINCS Number (see also EINECS and ELINCS).

DNEL: Derived No Effect Level.

PNEC(s): Predicted No Effect Concentration(s).

STOT: Specific Target Organ Toxicity.

LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).

LC50: Lethal Concentration to 50 % of a test population.

EC50: The effective concentration of substance that causes 50% of the maximum response.

PBT: Persistent, Bioaccumulative and Toxic.

vPvB: Very Persistent and Very Bioaccumulative.

NOEC: The highest tested concentration at which, in a study, no statistically significant effect is observed in the exposed population compared with an appropriate control group.

NOAEL: The highest tested dose or exposure level at which there are no statistically significant increases in the frequency or severity of adverse effects between the exposed population and an appropriate control group; some effects may be produced at this level, but they are not considered adverse or precursors of adverse effects.

**Other:**

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

**Minor changes have been made in following sections:**

-

**This material safety data sheet replaces version:**

-