

Material Safety Data Sheet



Completed 11-02-2026
Revision: (date) -
SDS version 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Trade Name: Quarz Sand / Quarz Staub
Product- no.: -

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses:

Test dust.

Uses advised against:

This product must not be used for purposes other than those recommended without first seeking the advice of the supplier.

1.3. Details of the supplier of the safety data sheet

Company and address:	Manufacturer:
Fiatec GmbH	Powder Technology Inc.
Burgkunstadter Str. 3, Mainleus	1300 Grey Fox Road
DE-95336	USA-55112 Arden Hills, MN
Germany	+1 952 894 -8737
+49 9229 9939-0	www.powdertechinc.com
www.fiatec.com	

Contact person and E-mail:

mattias.eber@fiatec.com

The Safety data sheet is completed and validated by:

Mediator ApS, Centervej 2, DK-6000 Kolding. Consultant: FJ

1.4. Emergency telephone number

Healthcare Professionals: +353 01 809 2566 (27/7)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP (1272/2008):
STOT RE 1;H372

The product is not subject to labelling under CLP Regulation No. 1272/2008.
See full text of H-phrases in section 16.

2.2. Label elements



Signal word:

Danger

Causes damage to organs through prolonged or repeated exposure. (H372)

Do not breathe dust. (P260)
Wash hands thoroughly after handling. (P264)
Wear protective gloves/eyeprotection. (P280)
IF exposed or concerned: Get medical advice/attention. (P308 + P313)
Dispose of contents/container in accordance with local regulation. (P501)

2.3. Other hazards

-

Additional labelling:

-

Material Safety Data Sheet



Additional warnings

The product does not meet the criteria for PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.1./3.2. Substances/Mixtures

Substance	EU-Index no. / REACH-Reg. no.	CAS-no.	EINECS-no.	CLP-classification	Wt/Wt %	Note
Quartz	- / -	14808-60-7	238-878-4	STOT RE 1;H372	95 - 100	-
Aluminum oxide	- / 01-2119529248-35-xxxx	1344-28-1	215-691-6	-	1 - 5	-
Iron(III) oxide	- / -	1309-37-1	215-168-2	-	1 - 5	-
Titanium oxide	- / 01-2119489379-17-xxxx	13463-67-7	236-675-5	-	< 0,1	-

See full text of H-phrases in section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Seek fresh air.

Seek medical advice in case of breathing difficulties.

Ingestion:

Wash out mouth thoroughly and drink 1-2 glasses of water in small sips.

Do not induce vomiting.

Seek medical advice immediately.

Skin contact:

Immediately remove contaminated clothing.

Wash skin with soap and water.

Seek medical advice in case of discomfort.

Eye contact:

Flush with water (preferably using eye wash equipment) until irritation subsides. Seek medical advice if symptoms persist.

Additional information:

When obtaining medical advice, show the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

Causes damage to organs through prolonged or repeated exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Surrounding fire:

Extinguish with powder, foam, carbon dioxide or water mist.

Do not use water stream, as it may spread the fire.

5.2. Special hazards arising from the substance or mixture

The product is not directly flammable. Avoid inhalation of vapour and fumes – seek fresh air.

Exposure to decomposition products may cause a health hazard.

5.3. Advice for firefighters

Fire fighters should wear appropriate protective equipment.

Material Safety Data Sheet



SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See section 8 for type of protective equipment.
Avoid breathing and contact with skin and eyes.

6.2. Environmental precautions

Avoid unnecessary release to the environment.

6.3. Methods and material for containment and cleaning up

Use water mist to bind dust.
Do not sweep – use vacuum cleaner to collect spillage.
Pick up mechanically.

6.4. Reference to other sections

See section 8 for type of protective equipment.
See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

See section 8 for information about precautions for use and personal protective equipment.
Use the product under well-ventilated conditions.
Smoking, eating and drinking in the work room is not permitted nor is storage of tobacco, food and drinks permitted. Personal protective equipment must not be worn during meal breaks. Running water and eye wash facilities must be easily accessible. Wash hands before breaks, after visits to the toilet and at the end of work.

7.2. Conditions for safe storage, including any incompatibilities

The product must be stored safely and away from food, animal feeding stuffs, medicines, etc.
Keep in tightly closed original packaging.

7.3. Specific end use(s)

See application section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The Health and Safety Authority, 2021 Code of Practice.

Substance	Long-term exposure limit ppm / mg/m ³	Short-term exposure limit ppm / mg/m ³	Note
Aluminum oxide			
- total inhalable dust	- / 10	- / -	-
- respirable dust	- / 4	- / -	-
Iron(III) oxide	- / 10	- / -	-
Titanium oxide			
- total inhalable dust	- / 10	- / -	-
- respirabel dust	- / 4	- / -	-
DNEL/PNEC-values:			
DNEL Aluminum oxide			
	Workers		Consumers
Inhalation - Chronic Systemic	3 mg/m ³		0,75 mg/m ³
Inhalation - Chronic Local	3 mg/m ³		0,75 mg/m ³
Oral - Chronic Systemic	-		1,32 mg/kg bw/day
DNEL Titanium oxide			
	Workers		Consumers
Inhalation - Chronic Local	1,25 mg/m ³		210 µg/m ³

Material Safety Data Sheet



8.2. Exposure controls

There are no exposure scenarios for this product.

Appropriate engineering controls:

Wear the personal protective equipment specified below.
Wash hands before breaks, before using restroom facilities, and at the end of work.
Do not eat, drink or smoke when using this product.

Personal protective equipment:



Respiratory protection:

In case of insufficient ventilation, wear respiratory protective equipment with P2 filter.
Respiratory protective equipment shall comply with one of the following standards: EN 136/140/145.

Hand protection:

Wear protective gloves made of nitrile rubber (> 0.11 mm). Protective gloves conforming to EN 374.
Penetration time: 480 min

Eye/face protection:

Wear safety goggles if there is a risk of dust contact with eyes.
Eye protection conforming to EN 166.

Skin protection:

Wear suitable protective clothing.

Environmental exposure controls:

Ensure compliance with local regulations for emissions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Powder
Colour:	Yellowish
Odour:	Odourless
Melting point/ Freezing Point (°C):	-
Boiling point or initial boiling point and boiling range (°C):	-
Flammability:	-
Lower and upper explosion limit (vol-%):	-
Flash point (°C):	-
Auto-ignition temperature (°C):	-
Decomposition temperature (°C):	-
pH:	-
Kinematic viscosity (mm ² /s):	-
Solubility:	Insoluble
Partition coefficient n-octanol/water (log value)	-
Vapour pressure:	-
Density and/or relative density:	2,5 - 2,7 g/cm ³
Relative vapour density:	-
Particle characteristics:	-

9.2. Other information

None.

Material Safety Data Sheet



SECTION 10: Stability and reactivity

10.1. Reactivity

No data.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Avoid heating and contact with ignition sources.
Avoid contact with moisture and water.

10.5. Incompatible materials

Avoid contact with the following:
Avoid contact with strong acids.

10.6. Hazardous decomposition products

No special precautions regarding contact with other materials at the recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity:

Based on the existing data, the classification is not met.

Substance	exposure	Species	Test	Result
Aluminum oxide	Oral	Rat	LD50	> 10000 mg/kg bw
Aluminum oxide	Inhalation	Rat	LC50/ 4 Hours	> 2,3 mg/L air
Iron(III) oxide	Oral	Rat	LD50	> 5000 mg/kg bw
Iron(III) oxide	Inhalation	Rat	LC50/ 4 Hours	5,05 mg/L air
Titanium oxide	Inhalation	Rat	LC50/ 4 Hours	3,43 mg/L air

Skin corrosion/irritation:

Irritating to skin – may cause reddening.

Serious eye damage/irritation:

May cause mechanical irritation.

Respiratory or skin sensitisation:

Based on the existing data, the classification is not met.

Germ cell mutagenicity:

Based on the existing data, the classification is not met.

Carcinogenicity:

Based on the existing data, the classification is not met.

Reproductive toxicity:

Based on the existing data, the classification is not met.

STOT-single exposure:

Based on the existing data, the classification is not met.

STOT-repeated exposure:

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard:

Based on the existing data, the classification is not met.

11.2. Information on other hazards

Test data are not available.

Material Safety Data Sheet



SECTION 12: Ecological information

12.1. Toxicity

Substance	Test duration	Species	Test	Result
Iron(III) oxide	48 Hours	Daphnia	EC50	> 100 mg/L
Iron(III) oxide	72 Hours	Algae	EC50	> 20 mg/L

12.2. Persistence and degradability

Substance	Biodegradability	Test	Result
No data.	-	-	-

12.3. Bioaccumulative potential

Substance	Potential bioaccumulation	LogPow
No data.	-	-

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

The product does not meet the criteria for PBT or vPvB.

12.6. Endocrine disrupting properties

Test data are not available.

12.7. Other adverse effects

None.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

The product is not classified as hazardous waste according to Waste Management. Disposal of spillage and waste via the municipal waste collection service with the specifications below is recommended.

EWC-Code	Description
06 13 99	Wastes not otherwise specified

Specific labelling:

Contaminated packaging:

SECTION 14: Transport information

The product is not covered by the rules for transport of dangerous goods by road and sea according to ADR, IMDG and IATA.

14.1 -14.4.

ADR

-

IMDG/IATA

-

14.5. Environmental hazards

-

14.6. Special precautions for user

-

14.7. Maritime transport in bulk according to IMO instruments

Not relevant.

Material Safety Data Sheet



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Sources:

The Health and Safety Authority, 2021 Code of Practice.

Additional labelling:

-

Restrictions for application:

-

Demands for specific education:

-

15.2. Chemical safety assessment

None.

SECTION 16: Other information

According to EU regulation 1907/2006 (REACH)

Other information:

Sources:

EC regulation 1907/2006 (REACH), with amendments.

EC Regulation 1272/2008 (CLP), with amendments.

Directive 2008/98/EC

ECHA - The European Chemicals Agency

Full text of H-phrases as mentioned in section 2+3:

H372 Causes damage to organs.

Classification according to Regulation (EC) Nr. 1272/2008:

STOT RE 1;H372 Calculation method

Abbreviations and acronyms used in the safety data sheet:

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals. Regulation (EC) No 1907/2006.

CLP: Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008.

CAS-Number.: Chemical Abstracts Service number.

EC-Number.: EINECS and ELINCS Number (see also EINECS and ELINCS).

DNEL: Derived No Effect Level.

PNEC(s): Predicted No Effect Concentration(s).

STOT: Specific Target Organ Toxicity.

LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).

LC50: Lethal Concentration to 50 % of a test population.

EC50: The effective concentration of substance that causes 50% of the maximum response.

PBT: Persistent, Bioaccumulative and Toxic.

vPvB: Very Persistent and Very Bioaccumulative.

NOEC: The highest tested concentration at which, in a study, no statistically significant effect is observed in the exposed population compared with an appropriate control group.

NOAEL: The highest tested dose or exposure level at which there are no statistically significant increases in the frequency or severity of adverse effects between the exposed population and an appropriate control group; some effects may be produced at this level, but they are not considered adverse or precursors of adverse effects.

Other:

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

Minor changes have been made in following sections:

-

This material safety data sheet replaces version:

-